Ad Salem Hearth

Vent Free
Authentic Gas Coal Fires



The Ultimate

Fireplace Experience!



Vent Free

Authentic Gas Coal Fires

The fireplace has long been regarded as the focal point for any home, and in the late 1800's coal fires were the height of fashion.

Coal Burning fire places are found in many turn of the century homes in America just as they are here in Winston-Salem.


Now you can experience the ambiance of a coal fire as your ancestors did with a gas coal fire.

Gas coal baskets are found in the finest homes in Great Britain as well as in Centuries old, Public Houses, Castles and Palaces. They are easy to install and can be taken with you should you desire to move.

Special Features include easy operating controls and optional remote control with flame settings, the very latest in flame supervision devices and a piezo spark igniter to give instant response.

Ceramic coals radiate heat from a large surface area and a decorative cover plate conceals all control knobs.

Safety is assured with our CSA US – Canada certified burners and Zero Clearance Fire boxes.





Od Salem Hearth

Vent Free

Authentic Gas Coal Fires

The revolutionary Old Salem Hearth Vent Free Gas Coal Basket can be exactly what you have been searching for. It can restore an elegant look to an old abandoned coalburning fireplace that is too small for traditional gas logs.

Because the product installation manual requires that the old chimney be capped at the top and also blocked at the top of the firebox where a traditional damper usually is installed this totally isolates the old flue.


If your old flue is not safe or approved for use of any product that requires a working fireplace this may solve your problem without relining the old flue.(check local code and inspectors for their interpretation before proceeding)

Measure your fireplace dimensions carefully and make sure you meet all the minimum clearances in chart on right.

Pay very close attention to the !8" clearance to Combustible material above the firebox opening. Your measurement must be from the concrete lintel (top of fireplace) do not measure from the edge of any cast Iron surround that might be in place.

There can be no combustible material within 18" of the top of the fireplace opening whether it projects from the wall or not.

These Minimum Clearances must be meet for safe operation





Two Grate Styles And Propane or Natural Gas Available





The Old Salem Hearth Vent Free Coal Basket incorporates the latest design in safe economical operation.

The Oxygen Depletion Sensor (ODS) safety pilot system continuously monitors oxygen levels and will completely shut down all gas supplied to the pilot and the main burners if depletion is detected. This incredible design is fail safe. If the ODS malfunctions it will not allow gas to escape.

The Coal Baskets are equipped with a state of the are control valve that allows the burner to be controlled remotely either by a wired thermostat or if wiring and mounting a thermostat is not practical a number of optional wireless remote controls are available.

The heat output of these baskets is adjustable from 13,500 BTU's down to 9,000 BTU's. This is adequate to heat a room up to 400 Square feet and will warm any adjacent rooms.

Most people are quite comfortable on the lowest setting only costing 25 to 30 cents an hour.

The traditional Regular Grate at the top was patterned after actual Coal Baskets used in our historic homes.

The New Low Cut Gate pictured on the bottom was designed to expose more of the fire and glowing coals.

Build your own fireplace

Creating the perfect fireplace from scratch is no problem we can provide everything you need.

If you have a small fireplace and you want to complete the period look of a cast iron surround we can provide two styles.

The Arched Top Cast Iron Surround can be added as long as your fireplace opening is slightly smaller than the overall outside dimension of the surround. See the diagram to the right.

Notice that an optional Summer Cover can be purchased for the Arched Top Surround.

The Square Cast Iron Surround is also available but cannot have a Front cover fitted to it.


If you do not have a fireplace and are ready to do a little framing and sheet rock work you can have a complete fireplace starting out with the Vent Free Firebox on Right.

Simply frame your wall studs at 23 inches apart and the header at 31" allowing for the 13.5 inches of depth Install gas line then slide in the Vent Free Firebox. Install your sheetrock or tile then attach the Cast Iron Surround and connect your gas line to the coal basket.

Please Consult with appropriate local trades people for you gas line run and for construction assistance.

You will need to follow all of the clearance guidelines very carefully.

Check with your local inspectors for codes relating to installation of vent free appliances in your area.



23 inches across stud support flange behind flange



Accessories

SKYTECH Model 1001

Reliable quality and function in basic on-off control.

SKYTECH Model 1001T/LCD

Reliable quality and function in basic on-off control. Plus Programmable Run Timer and LCD Display of room temperature and Time Remaining

SKYTECH Model 3002

Reliable quality and function in basic on-off-*thermostat* control. Plus Programmable Run Timer and LCD Display of room temperature and Time Remaining program temperature and mode.

NEW SKYTECH Model 5301

All of the Features of the 3002 in a ultra sleek design with large easy to read illuminated touch screen control panel. You want need your glasses or a light to see and use this one!

Volcanic Rock

Used to spread around hearth under the Coal Grate to cover the floor to simulate embers that have fallen from the basket. Adds a nice finishing touch to the look. (Do not use in the basket will cause unclean burn)

Old Salem Hearth

Authentic Gas Coal Fires

2201 Trinidad Lane – Winston Salem, North Carolina 27106 (PH) 336-682-3241 WWW.GasLogPro.com WWW.CoalBaskets.com